(一)課程主題摘要內容

| 主講題目 | Innovative Treatment for Baker's cyst of Knee | | | | | |
|-----------|---|--|--|--|--|--|
| 摘要內容 | A female patient suffered from right knee pain for months and | | | | | |
| (不得低於 250 | medial compartment osteoarthritis was diagnosed. A palpable mass | | | | | |
| 字) | over right knee popliteal fossa was also found. Operation for right | | | | | |
| | knee osteoarthritis and Baker's cyst was done, and she recovered | | | | | |
| | well. Baker's cyst, also known as a popliteal cyst, is a type of | | | | | |
| | fluid collection behind the knee. Often there are no symptoms. If | | | | | |
| | symptoms do occur these may include swelling and pain behind the | | | | | |
| | knee, or knee stiffness. If the cyst breaks open, pain may | | | | | |
| | significantly increase with swelling of the calf.Rarely | | | | | |
| | complications such as deep vein thrombosis, peripheral | | | | | |
| | neuropathy, ischemia, or compartment syndrome may occur.Risk | | | | | |
| | factors include other knee problems such as osteoarthritis, | | | | | |
| | meniscal tears, or rheumatoid arthritis. The underlying mechanism | | | | | |
| | involves the flow of synovial fluid from the knee joint to the | | | | | |
| | gastrocnemius-semimembranosus bursa, resulting in its expansion. | | | | | |

(二)講師資料表

| 講師姓名 | 林威成 | 身份證字 | 號 | | | | | |
|---|--|------|-----|----------------|------|----------|--|--|
| 連絡電話 | 手機號碼 | | | | | | | |
| 電子信箱 | | | | | | | | |
| 四十八日日日日日日日日日日日日日日日日日日日日日日日日日日日日日日日日日日日日 | 學 校:高應大 | | | | | | | |
| | 科 系:電子系 | | 畢業年 | F度: 104 | | | | |
| 最高學歷 | 級 別: (請勾選)□v 研究所(博士)□研究所(碩士)□大學(學士)□技術學院 □大專 | | | | | | | |
| | 單位名稱 | 職稱 | | 教學 年資 | 實務年資 | 研究 年資 | | |
| 現職 | 骨科 | 主任 | | 10 | 25 | 24 | | |
| | 高榮 | | | | | | | |
| 經 歷 (至多5項) | 民生醫院 | | | | | | | |
| | | | | | | | | |
| 專 長 | | | | | | | | |
| 特殊成就 | | | | | | | | |
| 備註 | | | | | | | | |